

MEDICAL POLICY – 1.01.533
Continuous Home Pulse Oximetry

Ref. Policy: MP-006

Effective Date: April 1, 2024

Last Revised: Mar. 11, 2024


Replaces: N/A

RELATED MEDICAL POLICIES:

None

Select a hyperlink below to be directed to that section.

[POLICY CRITERIA](#) | [CODING](#) | [RELATED INFORMATION](#)
[EVIDENCE REVIEW](#) | [REFERENCES](#) | [HISTORY](#)

 Clicking this icon returns you to the hyperlinks menu above.

Introduction

Pulse oximetry is a non-invasive way to measure oxygen levels in the blood. It may be used in a home setting to monitor the health of people with certain medical conditions that can affect their blood oxygen levels. A pulse oximeter is a device that attaches to the fingertip or earlobe and uses wavelengths of light to measure blood oxygen levels and heart rate. Continuous pulse oximetry measures oxygen levels for longer periods of time (1 hour or more). This policy describes when continuous home pulse oximetry may be considered medically necessary.

Note: The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

Policy Coverage Criteria

Service	Medical Necessity
Continuous Home Pulse Oximetry	<p>Continuous home pulse oximetry may be considered medically necessary for the following indications:</p> <ul style="list-style-type: none"> Continuous pulse oximetry performed in the home is covered only when any of the following indications is present:

Service	Medical Necessity
	<ul style="list-style-type: none"> ○ Individuals on prolonged home mechanical ventilation when the ventilator does not have a built in pulse oximeter <p>OR</p> <ul style="list-style-type: none"> ○ Home care individuals with tracheostomies <p>OR</p> <ul style="list-style-type: none"> ○ Premature or infants under one year with bronchopulmonary dysplasia <p>AND</p> <ul style="list-style-type: none"> • Continuous pulse oximetry performed in the home is covered only when ALL of the following indications are present: <ul style="list-style-type: none"> ○ The recipient would otherwise require hospitalization solely for the purpose of continuous monitoring ○ The results are reliable in that setting ○ The individual's record documents that the oximeter is preset and self-sealed and cannot be adjusted by the patient ○ The device is able to provide a printout which documents an adequate number of sampling hours (a minimum of four hours should be recorded), percent of oxygen saturation and an aggregate of the results (this information must be available if requested) ○ A trained caregiver is available to respond to changes in the oxygen saturation <p>Note: See Related Information below for Limitations</p>

Service	Investigational
<p>Continuous Home Pulse Oximetry</p>	<p>Pulse Oximetry is considered investigational for all other indications, including for the diagnosis of nocturnal hypoventilation.</p> <p>Note: See Related Information below for Limitations</p>

Coding



Code	Description
HCPCS	
A4606	Oxygen probe for use with oximeter device, replacement
E0445	Oximeter device for measuring blood oxygen levels non-invasively
ICD-10 Diagnosis Codes – Not Covered	
G47.33	Obstructive sleep apnea (adult) (pediatric)
G47.34	Idiopathic sleep related non-obstructive alveolar hypoventilation
G47.36	Sleep related hypoventilation in conditions classified elsewhere
G47.8	Other sleep disorders
G47.9	Sleep disorder, unspecified
J44.9	Chronic airway obstruction, not elsewhere classified (NEC)
J45.909-J45.998	Asthma
Z13.83	Encounter for screening for respiratory disorder NEC

Note: CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

Related Information

Limitations

Continuous pulse oximetry performed in the home is not covered for any of the following indications:

- For routine monitoring of an individual with oxygen (not medically appropriate)
- As part of an individual's asthma management (not medically appropriate)
- For management of chronic obstructive pulmonary disease (COPD)
- For management of transient hypoxemic events
- For screening or management of a sleep disorder (e.g., sleep apnea)



Pulse oximeters can be used just intermittently for a spot check (digital pulse oximeter) or used continuously which is mainly performed in the inpatient care setting.

The oximetry device used is subject to the US Food and Drug Administration (FDA) regulations/approval. A complete list may be obtained by inserting product code DQA into the 510(k) approvals database.

Evidence Review

Background

Pulse oximetry measures oxygen saturation by utilizing selected wavelengths of light to noninvasively determine the saturation of oxyhemoglobin. The oximeter passes red light through the fingertip or earlobe; the amount of light that is absorbed reflects how much oxygen is in the blood. This is done by measuring light absorption of oxygenated hemoglobin and total hemoglobin in arterial blood.

Pulse oximetry is considered a safe procedure but the device does have limitations that can lead to inaccurate measurements, including: motion artifact, abnormal hemoglobins, skin pigmentation, low perfusion states, nail polish and ambient light. These limitations may lead to a false negative and potentially inappropriate treatment of the individual.

References

1. American Association Respiratory Care. AARC clinical practice guidelines. Pulse oximetry. *Respir Care*. December, 2016, 61 (12) 1671-1680. <http://rc.rcjournal.com/content/61/12/1671>. Accessed February 28, 2024.
2. Centers for Medicare and Medicaid Services (CMS). National Coverage Determination (NCD) for Home Use of Oxygen (240.2). Revision Effective Date: 09/27/2021. <https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=169&ncdver=2&DocID=240.2&bc=gAAAAAgAAAAAA%3d%3d&=>. Accessed February 28, 2024.
3. Centers for Medicare and Medicaid Services (CMS). Local Coverage Determination (LCD). Oxygen and Oxygen Equipment. L33797. Revision Effective Date: 04/01/2023. <https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=33797>. Accessed February 28, 2024.
4. Centers for Medicare and Medicaid Services (CMS). Local Coverage Determination (LCD). Oximetry Services. L35434. Revision Effective Date: 10/17/2019. <https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=35434&ver=30&NCAId=2&NCDId=169&ncdver=1&SearchType=Advanced&CoverageSelection=B>



oth&NCSelection=NCA%7CCAL%7CNCND%7CMEDCAC%7CTA%7CMCD&ArticleType=Ed%7CKey%7CSAD%7CFAQ&PolicyType=Final&s=%26mdash%3B-%7C5%7C6%7C66%7C67%7C9%7C38%7C63%7C41%7C64%7C65%7C44&Keyword=Home+Pulse+Oximetry&KeywordLookUp=Doc&KeywordSearchType=And&kq=true&bc=IAAAAAGAAAA&. Accessed February 28, 2024.

5. Church, G. California Thoracic Society Position Paper: Guidelines for the Use of Home Pulse Oximetry in Infants and Children. 2019. <https://www.atsjournals.org/doi/full/10.1164/rccm.201812-2276ST>. Accessed February 28, 2024.
6. McCulloh R, Koster M, Ralston S, et al. Use of Intermittent vs. Continuous Pulse Oximetry for Nonhypoxemic Infants and Young Children Hospitalized for Bronchiolitis: A Randomized Clinical Trial. JAMA Pediatr. 2015 Oct 1; 169 (1): 898-904. <http://www.ncbi.nlm.nih.gov/pubmed/26322819>. Accessed February 28, 2024.

History

Date	Comments
09/16/19	New policy, approved August 13, 2019, effective January 1, 2020. Continuous home pulse oximetry may be considered medically necessary for patients on prolonged home mechanical ventilation when the ventilator does not have a built in pulse oximeter, or home care patients with tracheostomies, or premature or infants under one year with bronchopulmonary dysplasia when criteria are met; it is considered investigational for all other indications.
08/01/20	Annual Review, approved July 2, 2020. No changes to policy statement.
08/01/21	Annual Review, approved July 9, 2021. No changes to policy statement.
05/01/22	Annual Review, approved April 11, 2022. No changes to policy statement.
10/01/22	Interim Review, approved September 12, 2022. References updated, no other changes to the policy.
04/01/23	Annual Review, approved March 20, 2023. References updated, no other changes to the policy. Changed the wording from "patient" to "individual" throughout the policy for standardization.
04/01/24	Annual Review, approved March 11, 2024. References updated, no other changes to the policy.

Disclaimer: This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2024 Premera All Rights Reserved.



Scope: Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy only applies to Individual Plans.





Discrimination is Against the Law

LifeWise Health Plan of Washington (LifeWise) complies with applicable Federal and Washington state civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. LifeWise does not exclude people or treat them differently because of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. LifeWise provides free aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print, audio, accessible electronic formats, other formats). LifeWise provides free language services to people whose primary language is not English, such as qualified interpreters and information written in other languages. If you need these services, contact the Civil Rights Coordinator. If you believe that LifeWise has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation, you can file a grievance with: Civil Rights Coordinator — Complaints and Appeals, PO Box 91102, Seattle, WA 98111, Toll free: 855-332-6396, Fax: 425-918-5592, TTY: 711, Email AppealsDepartmentInquiries@LifeWiseHealth.com. You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Ave SW, Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>. You can also file a civil rights complaint with the Washington State Office of the Insurance Commissioner, electronically through the Office of the Insurance Commissioner Complaint Portal available at <https://www.insurance.wa.gov/file-complaint-or-check-your-complaint-status>, or by phone at 800-562-6900, 360-586-0241 (TDD). Complaint forms are available at <https://fortress.wa.gov/oic/onlineservices/cc/pub/complaintinformation.aspx>.

Language Assistance

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 800-817-3056 (TTY: 711).

注意: 如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 800-817-3056 (TTY: 711)。

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 800-817-3056 (TTY: 711).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 800-817-3056 (TTY: 711) 번으로 전화해 주십시오.

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 800-817-3056 (телетайп: 711).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 800-817-3056 (TTY: 711).

УВАГА! Якщо ви розмовляєте українською мовою, ви можете звернутися до безкоштовної служби мовної підтримки.

Телефонуйте за номером 800-817-3056 (телетайп: 711).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតលុយ គឺអាចមានសំរាប់អ្នក។ ចូរ ទូរស័ព្ទ 800-817-3056 (TTY: 711)។

注意事項: 日本語を話される場合、無料の言語支援をご利用いただけます。800-817-3056 (TTY:711) まで、お電話にてご連絡ください。

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያገዝዎት ተዘጋጅተዋል። ወደ ሚከተለው ቁጥር ይደውሉ 800-817-3056 (መስማት ለተሳናቸው: 711)።

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 800-817-3056 (TTY: 711).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 800-817-3056 (رقم هاتف الصم والبكم: 711).

ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 800-817-3056 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 800-817-3056 (TTY: 711).

ໂປດອຸບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ຄ່າສົ່ງຄ່າ, ຄວນມີພ້ອມໃຫ້ທ່ານ. ໂທ 800-817-3056 (TTY: 711).

ATANSYON: Si w pale Kreyòl Ayisyen, gen sévis èd pou lang ki disponib gratis pou ou. Rele 800-817-3056 (TTY: 711).

ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 800-817-3056 (ATS : 711).

UWAGA: Jezeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 800-817-3056 (TTY: 711).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 800-817-3056 (TTY: 711).

ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 800-817-3056 (TTY: 711).

توجه: اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با 800-817-3056 (TTY: 711) تماس بگیرید.