

**MEDICAL POLICY – 2.02.514****External Counterpulsation Therapy**

Ref. Policy: MP-107

Effective Date: July 1, 2024

Last Revised: June 24, 2024


Replaces: N/A

RELATED MEDICAL POLICIES:

None

Select a hyperlink below to be directed to that section.

[POLICY CRITERIA](#) | [CODING](#) | [RELATED INFORMATION](#)  
[EVIDENCE REVIEW](#) | [REFERENCES](#) | [HISTORY](#)

 Clicking this icon returns you to the hyperlinks menu above.

## Introduction

Angina is chest pain, pressure, or discomfort that occurs when the heart doesn't get enough oxygen-rich blood. Chronic stable angina is chest pain/discomfort that has a pattern of what triggers it, how long it lasts, and how often it happens. Angina is a symptom of coronary artery disease and can limit physical activity based on how severe it is. External counterpulsation therapy (ECP) is a minimally-invasive treatment for chronic disabling stable angina for those who haven't improved with medication and are unable to have surgery. With ECP, large air cuffs are wrapped around the legs. The cuffs inflate and deflate to help increase blood flow to the heart. This policy describes when external counterpulsation therapy (ECP) may be considered medically necessary.

**Note:** The Introduction section is for your general knowledge and is not to be taken as policy coverage criteria. The rest of the policy uses specific words and concepts familiar to medical professionals. It is intended for providers. A provider can be a person, such as a doctor, nurse, psychologist, or dentist. A provider also can be a place where medical care is given, like a hospital, clinic, or lab. This policy informs them about when a service may be covered.

## Policy Coverage Criteria

Service	Medical Necessity
<p><b>External counterpulsation therapy (ECP)</b></p>	<p><b>An initial full course (35 one-hour treatments per benefit period, which may be offered once or twice daily, usually five days per week) of external counterpulsation therapy (ECP) may be considered medically necessary for the following indications:</b></p> <ul style="list-style-type: none"> <li>• Individuals with a diagnosis of chronic disabling stable angina Class III or IV per the New York Heart Association (NYHA) or Canadian Cardiovascular Society (CCS) refractory to maximum medical therapy and not amenable to surgical intervention (in the opinion of a cardiologist or cardiothoracic surgeon) such as percutaneous transluminal coronary angioplasty (PTA) or cardiac bypass because of one of the following: <ul style="list-style-type: none"> <li>○ Their condition is inoperable or at high risk of operative complications or post-op failure; or</li> <li>○ Their coronary anatomy is not amenable for such procedures; or</li> <li>○ They have co-morbid states which could create excessive risk.</li> </ul> </li> <li>• Repeat courses of ECP will be considered on a case by case basis for persons with chronic stable angina if all of the following criteria are met: <ul style="list-style-type: none"> <li>○ Individual meets medical necessity criteria for ECP</li> <li>○ Prior ECP has resulted in a sustained improvement in symptoms, with a significant (greater than 25%) reduction in frequency of angina symptoms</li> <li>○ Improvement by one or more angina classes (NYHA or CCS)</li> <li>○ Three or more months has elapsed from the prior ECP treatment.</li> </ul> </li> </ul> <p><b>Note:</b> See Related Information below for <a href="#">Limitations</a></p>

**Coding**



Code	Description
<b>HCPCS Codes Covered if Selection Criteria are Met (If Appropriate)</b>	
G0166	External counterpulsation, per treatment session
<b>ICD-10 Codes Covered if Selection Criteria are Met</b>	
I20.0	Unstable angina
I20.1	Angina pectoris with documented spasm
I20.8	Other forms of angina pectoris
I20.9	Angina pectoris, unspecified

**Note:** CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). HCPCS codes, descriptions and materials are copyrighted by Centers for Medicare Services (CMS).

## Related Information

### Limitations

- This policy only addresses external counterpulsation (ECP) performed in the outpatient setting
- All other cardiac conditions not otherwise specified as nationally covered for the use of ECP remain nationally non-covered
- Must be performed under the direct supervision of a physician who must be present and immediately available to provide assistance and direction during the treatment
- US Food and Drug Administration (FDA) approved ECP devices intended for the treatment of cardiac conditions
- Hydraulic versions of ECP devices will not be covered
- ECP is not intended as a first-line therapy for angina

ECP is not covered for individuals with any of the following conditions:

- Arrhythmias that interfere with machine triggering
- Active thrombophlebitis



- Severe lower extremity vaso-occlusive disease
- Presence of a documented aortic aneurysm requiring surgical repair
- Pregnancy

## Evidence Review

---

### Background

The Centers for Medicare and Medicaid Services (CMS) define external counterpulsation (ECP) as a noninvasive outpatient treatment for coronary artery disease refractory to medical and/or surgical therapy. ECP is also commonly referred to as enhanced external counterpulsation. The individual is placed on a treatment table where their lower trunk and lower extremities are wrapped in a series of three compressive air cuffs which inflate and deflate in synchronization with the individual's cardiac cycle.

Although ECP devices are cleared by the US Food and Drug Administration (FDA) for use in treating a variety of cardiac conditions, including stable or unstable angina pectoris, acute myocardial infarction and cardiogenic shock, the use of this device to treat cardiac conditions other than stable angina pectoris is not covered, since only that use has developed sufficient evidence to demonstrate its medical effectiveness. Non-coverage of hydraulic versions of these types of devices remains in force.

New York Heart Association Grading Scale for Heart Failure:

- Class I: No limitation of physical activity. Ordinary physical activity does not cause undue fatigue, palpitation, dyspnea (shortness of breath).
- Class II: Slight limitation of physical activity. Comfortable at rest. Ordinary physical activity results in fatigue, palpitation, dyspnea.
- Class III: Marked limitation of physical activity. Comfortable at rest. Less than ordinary activity causes fatigue, palpitation, or dyspnea.
- Class IV: Unable to carry on any physical activity without discomfort. Symptoms of heart failure at rest. If any physical activity is undertaken, discomfort increases.

Canadian Cardiovascular Society Grading Scale for Angina:



- Class I: Ordinary physical activity does not cause angina, such as walking or climbing stairs. Angina occurs with strenuous, rapid or prolonged exertion.
- Class II: Slight limitation of ordinary activity. Angina occurs only during vigorous physical activity, such as walking or climbing stairs rapidly, walking uphill, walking or stair climbing after meals in cold, wind, or under emotional stress, or only during the few hours after awakening. Walking more than two blocks on the level and climbing more than one flight of ordinary stairs at a normal pace and in normal conditions.
- Class III: Marked limitation of ordinary physical activity. It is induced by walking one or two level blocks and climbing one flight of stairs in normal conditions and at a normal pace.
- Class IV: Inability to carry on any physical activity without discomfort. Anginal syndrome may be present at rest.

## References

1. American Heart Association (AHA). Classes of Heart Failure. Last reviewed June 7, 2023. <https://www.heart.org/en/health-topics/heart-failure/what-is-heart-failure/classes-of-heart-failure>. Accessed May 20, 2024.
2. Centers for Medicare and Medicaid Services (CMS). National Coverage Determination (NCD) No. 20.20 - External Counterpulsation Therapy for Severe Angina. Effective Date: 03/20/2006. <http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=97&ncdver=2&bc=AgAAgAAAAAAAAA%3d%3d&>. Accessed May 20, 2024.
3. Centers for Medicare and Medicaid Services (CMS). Decision Memo for External Counterpulsation (ECP) Therapy (CAG-00002R2). March 20, 2006. [https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=162&ver=21&NcaName=External+Counterpulsation+\(ECP\)+Therapy+\(2nd+Recon\)&bc=BEAAAAAAEAAA&&fromdb=true](https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=162&ver=21&NcaName=External+Counterpulsation+(ECP)+Therapy+(2nd+Recon)&bc=BEAAAAAAEAAA&&fromdb=true). Accessed May 20, 2024.
4. Ischemia Trial – Appendix I: New York Heart Association Grading Scale for Heart Failure and Canadian Cardiovascular Society Grading Scale for Angina. Protocol Version Date: Jan 6, 2014. [https://clinicaltrials.gov/ProvidedDocs/22/NCT01471522/Prot\\_001.pdf](https://clinicaltrials.gov/ProvidedDocs/22/NCT01471522/Prot_001.pdf). Accessed May 20, 2024.
5. Jneid H, Anderson JL, Wright RS, et al. 2012 ACCF/AHA focused update incorporated into the ACCF/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. 2013 Jun 11;61(23):e179-347. doi: 10.1016/j.jacc.2013.01.014. Epub 2013 Apr 29. <http://circ.ahajournals.org/content/early/2013/04/29/CIR.0b013e31828478ac.full.pdf>. Accessed May 20, 2024.
6. McKenna C, McDaid C, Suekarran S, et al. Enhanced external counterpulsation for the treatment of stable angina and heart failure: a systematic review and economic analysis. *Health Technol Assess*. 2009; 13(24): iii-iv, ix-xi, 1-90. doi: 10.3310/hta13240. <http://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0015045/>. Accessed May 20, 2024.
7. Snow V, Barry P, Fihn SD, et al. Primary care management of chronic stable angina and asymptomatic suspected or known coronary artery disease: a clinical practice guideline from the American College of Physicians. *Ann Intern Med*. 2004 Oct 5;141(7):562-567. <http://annals.org/article.aspx?articleid=717863>. Accessed May 20, 2024.



## History

Date	Comments
09/16/19	New policy, approved August 13, 2019, effective January 1, 2020. An initial full course (35 one hour treatments per benefit period, which may be offered once or twice daily, usually five days per week) of external counterpulsation therapy (ECP) may be considered medically necessary when criteria are met. Repeat courses will be considered on a case by case basis.
10/01/20	Annual Review, approved September 17, 2020. No changes to policy, references updated.
10/01/21	Annual Review, approved September 23, 2021. No changes to policy, references updated.
07/01/22	Annual Review, approved June 27, 2022. No changes to policy, references updated.
01/01/24	Annual Review, approved December 11, 2023. No changes to policy, references updated. Changed the wording from "patient" to "individual" throughout the policy for standardization.
07/01/24	Annual Review, approved June 24, 2024. No changes to policy, references updated.

**Disclaimer:** This medical policy is a guide in evaluating the medical necessity of a particular service or treatment. The Company adopts policies after careful review of published peer-reviewed scientific literature, national guidelines and local standards of practice. Since medical technology is constantly changing, the Company reserves the right to review and update policies as appropriate. Member contracts differ in their benefits. Always consult the member benefit booklet or contact a member service representative to determine coverage for a specific medical service or supply. CPT codes, descriptions and materials are copyrighted by the American Medical Association (AMA). ©2024 Premera All Rights Reserved.

**Scope:** Medical policies are systematically developed guidelines that serve as a resource for Company staff when determining coverage for specific medical procedures, drugs or devices. Coverage for medical services is subject to the limits and conditions of the member benefit plan. Members and their providers should consult the member benefit booklet or contact a customer service representative to determine whether there are any benefit limitations applicable to this service or supply. This medical policy only applies to Individual Plans.





### Discrimination is Against the Law

LifeWise Health Plan of Washington (LifeWise) complies with applicable Federal and Washington state civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. LifeWise does not exclude people or treat them differently because of race, color, national origin, age, disability, sex, gender identity, or sexual orientation. LifeWise provides free aids and services to people with disabilities to communicate effectively with us, such as qualified sign language interpreters and written information in other formats (large print, audio, accessible electronic formats, other formats). LifeWise provides free language services to people whose primary language is not English, such as qualified interpreters and information written in other languages. If you need these services, contact the Civil Rights Coordinator. If you believe that LifeWise has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, sex, gender identity, or sexual orientation, you can file a grievance with: Civil Rights Coordinator — Complaints and Appeals, PO Box 91102, Seattle, WA 98111, Toll free: 855-332-6396, Fax: 425-918-5592, TTY: 711, Email [AppealsDepartmentInquiries@LifeWiseHealth.com](mailto:AppealsDepartmentInquiries@LifeWiseHealth.com). You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Ave SW, Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>. You can also file a civil rights complaint with the Washington State Office of the Insurance Commissioner, electronically through the Office of the Insurance Commissioner Complaint Portal available at <https://www.insurance.wa.gov/file-complaint-or-check-your-complaint-status>, or by phone at 800-562-6900, 360-586-0241 (TDD). Complaint forms are available at <https://fortress.wa.gov/oic/onlineservices/cc/pub/complaintinformation.aspx>.

### Language Assistance

**ATENCIÓN:** si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 800-817-3056 (TTY: 711).

**注意:** 如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 800-817-3056 (TTY: 711)。

**CHÚ Ý:** Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 800-817-3056 (TTY: 711).

**주의:** 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 800-817-3056 (TTY: 711) 번으로 전화해 주십시오.

**ВНИМАНИЕ:** Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 800-817-3056 (телетайп: 711).

**PAUNAWA:** Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 800-817-3056 (TTY: 711).

**УВАГА!** Якщо ви розмовляєте українською мовою, ви можете звернутися до безкоштовної служби мовної підтримки.

Телефонуйте за номером 800-817-3056 (телетайп: 711).

**ប្រយ័ត្ន:** បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតលុយ គឺអាចមានសំរាប់អ្នក។ ចូរ ទូរស័ព្ទ 800-817-3056 (TTY: 711)។

**注意事項:** 日本語を話される場合、無料の言語支援をご利用いただけます。800-817-3056 (TTY:711) まで、お電話にてご連絡ください。

**ማስታወሻ:** የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በገጻ ሊያገለግሉት ተዘጋጅተዋል። ወደ ሚከተለው ቁጥር ይደውሉ 800-817-3056 (መስማት ለተሳናቸው: 711)።

**XIYYEEFFANNAA:** Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 800-817-3056 (TTY: 711).

**ملحوظة:** إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 800-817-3056 (رقم هاتف الصم والبكم: 711).

**ਧਿਆਨ ਦਿਓ:** ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 800-817-3056 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

**ACHTUNG:** Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 800-817-3056 (TTY: 711).

**ໂປດອຸບ:** ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ຄ່າສ່ຽງຄ່າ, ຄວນມີພ້ອມໃຫ້ທ່ານ. ໂທ 800-817-3056 (TTY: 711).

**ATANSYON:** Si w pale Kreyòl Ayisyen, gen sévis èd pou lang ki disponib gratis pou ou. Rele 800-817-3056 (TTY: 711).

**ATTENTION:** Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 800-817-3056 (ATS : 711).

**UWAGA:** Jezeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 800-817-3056 (TTY: 711).

**ATENÇÃO:** Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 800-817-3056 (TTY: 711).

**ATTENZIONE:** In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 800-817-3056 (TTY: 711).

**توجہ:** اگر بہ زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با 800-817-3056 (TTY: 711) تماس بگیرید.